

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L2	1279	turbine and (blade fin impeller vane) same ((inductor L) same (capacitor C) L\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L3	132	L2 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L4	55	("3177711" "3619805" "4186792" "4230436" "4417208" "4563643" "4604251" "4644270" "4842477" "4843259" "5126664" "5180978" "5497147" "5504425" "5742161" "5854553" "6069475" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6566862" "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L5	11	("3177711").URPN.	USPAT	OR	ON	2008/09/18 11:13
L6	29	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L7	949	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L8	10338	324,207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

L9	515	L8 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L10	530	L9 and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L11	53	L9 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L12	23	L11 not L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L13	1418	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L14	184	L13 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L15	52	L14 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L16	1286	L13 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L17	1234	L16 not L15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

L18	21	("3609580" "3851242" "4042876" "4059794" "4160204" "4414508" "4450405" "4580097" "4598260" "4659988" "4841245" "4847556" "4851770" "4875007" "4952891" "5144231" "5180978" "5198764" "5365787" "5420507" "5459405").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 11:13
L19	25	("5854553").URPN.	USPAT	OR	ON	2008/09/18 11:13
L20	1279	turbine and (blade fin impeller vane) same ((inductor L) same (capacitor C) L\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L21	132	L20 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L22	11	("3177711").URPN.	USPAT	OR	ON	2008/09/18 11:13
L23	38	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L24	10338	324/207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L25	515	L24 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L26	30	L25 and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L27	53	L25 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

L28	23	L27 not L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L29	949	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L30	29	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L31	55	("3177711" "3619805" "4186792" "4230436" "4417208" "4563643" "4604251" "4644270" "4842477" "4843259" "5126664" "5180978" "5497147" "5504425" "5742161" "5854553" "6069475" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6566862" "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L32	1418	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L33	184	L32 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L34	52	L33 not L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L35	1286	L32 not L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L36	1234	L35 not L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

L37	1135	turbine and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$1C R\$1L\$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L38	1210	(co\$1axial near3 cable) near10 (capacitor capacitance) same (coil winding) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L39	121	("3609580" "3851242" "4042876" "4059794" "4160204" "4414508" "4450405" "4580097" "4598260" "4659988" "4841245" "4847556" "4851770" "4875007" "4952891" "5144231" "5180978" "5198764" "5365787" "5420507" "5459405").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 11:13
L40	125	("5854553").URPN.	USPAT	OR	ON	2008/09/18 11:13
L41	126	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and (fm frequency) near3 demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L42	132	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and (fm frequency) near3 demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L43	133	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L44	157	(sens\$3 probe transducer detect\$3) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat\$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L45	177	L44 and (inductor same capacitor resonan\$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L46	191	L44 and ((coil winding inductor) same capacitor resonan\$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

L47	1	("2005/0088171").URPN.	USPAT	OR	ON	2008/09/18 11:13
L48	9	("2455345" "2723562" "3208269" "3377556" "4164866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 11:13
L49	6	("5392657").URPN.	USPAT	OR	ON	2008/09/18 11:13
L50	24	(lc (inductor winding coil) same capacitor) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat\$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L51	11	("3177711").URPN.	USPAT	OR	ON	2008/09/18 11:13
L52	3443	(induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
L53	274	324/2\$.cccls. and (induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

9/18/2008 11:30:24 AM

C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10696215RCE_A2.wsp